

**Semi Cognitive Approach to
RTE-Using FrameNet for
Semantic Clustering**

Sangyan

Himanshu Shivhare

Parul Nath

Anusha Jain

Outline

❖ Introduction

❖ System Architecture

- * Semantic Analysis Module

- * Syntactic Analysis Module

❖ Results & Evaluations


- * Error Analysis and Perspectives

❖ Conclusion

Where it got started...

- ❖ Two years ago...
- ❖ Research papers by *Iftene*, LCC etc.
- ❖ Analysis of approaches – interesting analysis

Interesting Analysis



Graph depicts the relative low scores in Information Extraction Subtask.

Graph Analysis

- ❖ The systems focus on the *face value* of the sentence and thus scores were low in IE subtask, which required *indirect inference*
- ❖ Conclusion: The context inference is important

Example

RTE-1 Development Set :

<pair id="58" value="TRUE" task="IR">

T : Iraqi militants said Sunday they would behead Kim Sun-II, a 33-year-old translator, within 24 hours unless plans to dispatch thousands of South Korean troops to Iraq were abandoned.

H :Translator kidnapped in Iraq.

Entailment pair would not have been resolved by a system which can not view *kidnapping* and *beheading* under the same context of say *danger*

Various Techniques

- ❖ Various approaches we analyzed
 - * N-gram
 - * Edit Distance with Dependency Trees
- ❖ All above had the same problems:
 - lack of semantics*
 - lack of determinism*
- ❖ For example (RTE-3)
 - Text:** Claude Chabrol divorced Agnes, his first wife, to marry the actress Staphane Audran. His third wife is Aurore Paquiss.
 - Hypothesis:** Aurore Paquiss married Chabrol.

FrameNet & *Semantic Clustering*

- ❖ FrameNet corpus is not new to RTE Fraternity. (*RTE 2 – Burchardt et al 2006*)
- ❖ But, the usage highlighted the Frame Semantics: local roles, participants and also Frame Hierarchies.

Shalemanesar for Clustering

- ❖ A word (W) may have different senses $\{W_{s1}, W_{s2} \dots W_{sn}\}$
- ❖ The word will *ideally* belong to n frames.
- ❖ Each different sense of the word will make it belong to a different frame depicting that sense.

Clustering Improves Mapping

- ❖ Although two words may not be synonyms or directly related, one of them ($W1$) might belong to a frame $F1$ due to sense $W1_{s1}$ in a particular context.
- ❖ Other word, $W2$ may have a sense $W2_{s2}$, so that $W1_{s1} \Leftrightarrow W2_{s2}$

Semantic Mapping Aids

Entailment

- ❖ Both these words will be clustered under Frame F1, which will ease the semantic mapping.
- ❖ The improved semantic mapping can be a powerful measure to improve the entailment deduction.

Outline

❖ Introduction

❖ System Architecture

- * Syntactic Analysis Module


- * Semantic Analysis Module

❖ Results & Evaluations

- * Error Analysis and Perspectives

❖ Conclusion

System Architecture



Dependency Tree Match Module

- ❖ We extract the ‘Syntactic Roles’ of entities from Stanford dependencies.
- ❖ The dependency tree overlap measures the syntactic similarity between the t-h pairs.
- ❖ This match gives equal importance to all the relations.

Dependencies not Dependable

❖ Example:

- * Hypothesis: **The Irish Republican Army is a Catholic paramilitary group.**

Text I: Answering questions in parliament, Ahern told MPs that the meetings with Adams, whose party is the political wing of the **IRA, Northern Ireland's main Catholic paramilitary group**, had merely been to maintain dialogue.

- ❖ Many a times, the semantic equivalence is not reflected in the syntactic structure of two sentences.

GAH over Dependencies

- ❖ Instead of typical specific rules which feature in traditional rule based system, Sangyan uses GAH rules (Generically Applicable Heuristics derived from Dependencies).
- ❖ GAH are templates which can be applied to extract meaning from a wide range of constructs

GAH in Action>>>

T-H pairs (RTE-6 Development Set)	Meaning	Syntactic Role
Hypothesis: Gerry Adams is the leader of Sinn Fein.	Gerry Adams "is-a" leader of Sinn Fein	nsubj(leader, Adams)
Text I: London and Dublin are awaiting for an Irish Republican Army response to a call from Gerry Adams, leader of the group's Sinn Fein political wing , for an end to violence.	Gerry Adams "is-a" leader of the group's Sinn Fein political wing	appos(Adams, leader)
Text II: Irish Prime Minister Bertie Ahern admitted on Tuesday that he had held a series of private one-on-one meetings on the Northern Ireland peace process with Sinn Fein leader Gerry Adams , but denied they had been secret in any way.	Gerry Adams "is-a" leader of Sinn Fein	nn(Adams, leader)

GAH V/S Rules

- ❖ The biggest challenge for rules is their specific applicability.
 - * Ex: **Gerry Adams is the leader of Sinn Fein.**
 - * ...**Gerry Adams, leader of the group's Sinn Fein political wing...**
- ❖ It takes one GAH to tackle both the cases, but, two rules to do the same.

Outline

- ❖ Introduction
- ❖ System Architecture
 - * Syntactic Analysis Module
 - * Semantic Analysis Module
- ❖ Results & Evaluations
 - * Error Analysis and Perspectives
- ❖ Conclusion

Semantic Module

- ❖ Semantic module handles semantic variability
 - * Semantic module tries establish semantic relatedness between the TH pair
For example:
Text: **Satomi Mitarai died of blood loss.**
Hypothesis: **Satomi Mitarai bled to death.**
- ❖ FrameNet frames provide an excellent way of representing the context and semantics.
 - * Abstract over the various syntactical level problems like noun verb alternation etc
 - * We use a combination of Frame Match and Lexical Overlap and not frame elements
- ❖ In this example, the frame of both “died” and “death” is “Death”

Semantic Module

- ❖ We use a combination of Frame Match and Lexical Overlap
- ❖ For example (RTE -6)
Text : **The Patriot Act, passed by Congress a few weeks after the Sept. 11, 2001, terror attacks**, gave federal law enforcement officials broader powers of surveillance and prosecution against suspected terrorists, their financiers and their sympathizers.
Hypothesis: **Congress passed the Patriot Act after September 11, 2001.**
- ❖ The frame “Giving” matches in both text and hypothesis and there is a high lexical overlap between the text and hypothesis.

Semantic Module

- ❖ Certain frames are equivalent in particular context .

- ❖ For example:

Text: South Korea has lifted a five-year ban on beef imports from the US , despite growing public protests prompted by fears of mad cow disease .

Hypothesis: South Korea removes a US beef ban.

- ❖ We get frames **Removing** → **remove**
Body_movement → **lifted**

- ❖ We identified both manually and automatically some such frames and added the functionality to equate them during the match process.
- ❖ This helps in widening the match criterion of the frame match

Semantic Module

- ❖ Text : **Bahrain 's king has appointed a Jewish woman** as the country 's envoy to the United States . Bahrain 's king has appointed a Jewish woman as the country 's envoy to the United States .
Hypothesis: **Bahrain names a Jewish ambassador** .
- ❖ Equivalent frame: **Being_named** → name
Change_of_leadership --> appoint

Clusters and Dark Clouds

- ❖ FrameNet is a useful resource
- ❖ But, **Lack of Coverage** is a problem
 - * Although FrameNet contains more than 6500 fully annotated lexical units and associated frames,
 - * not sufficient for many real world scenarios such as RTE-6.
 - * Also, it takes expert human supervision for the addition of new frames, which is a time consuming task.
 - * For our system handling coverage become easy as we were not using frame elements
 - * Added many frames both manually and automatically

Outline

- ❖ Introduction
- ❖ System Architecture
 - * Syntactic Analysis Module
 - * Semantic Analysis Module
- ❖ Results & Evaluations
 - * Error Analysis and Perspectives
- ❖ Conclusion

Report Card Time!!

RTE 6 – Main Task

Development Set			Test Set		
Precision	Recall	F-Measure	Precision	Recall	F-Measure
30.64	33.0	31.78	21.66	46.03	29.46

Introspect!! Failure Analysis

- ❖ Median Result
 - * presents immense opportunities to improve
- ❖ Major working area :
 - * FrameNet module
 - ❖ Requirement of more data for FrameNet equivalence
 - ❖ Coverage : Need more frames
 - * Lexical Module
 - ❖ Intelligent match
 - * Syntactic Module
 - ❖ Give weight age to more important relation
 - * Training the system for setting appropriate Threshold

Problem Area: FrameNet

- ❖ More frames for frame equivalence required
- ❖ **Text:** Her interpreter, Allan Enwiyah, 32, was shot dead and his body abandoned nearby by the kidnappers, while her **driver got away**.
Hypothesis: Jill Carroll's **driver escaped**
- * the frame of “escape” is “Departing” and that of “get away” is “Evading”.

Problem Area: Lexical Module

- ❖ **Text:** Vice President Dick Cheney accidentally sprayed a companion with birdshot while hunting quail on a private Texas ranch, injuring the man in the face, neck and chest, the vice-president's office confirmed yesterday after a Texas newspaper reported the incident.
Hypothesis: Harry M. Whittington is Vice President Dick Cheney's hunting companion.
- ❖ Despite the **low frame match**, the true entailment is deduced due to the high lexical overlap.

Problem Area: Syntactic Module

- ❖ **Text:** The White House on Monday carefully distanced itself from Vice President Dick Cheney's delayed notification about his accidental shooting of a hunting companion.
Hypothesis: Harry M. Whittington is Vice President Dick Cheney's hunting companion
- ❖ Probabilistic nature of the syntactic module of our system, which causes the system to give many false positives.

Outline

- ❖ Introduction
- ❖ System Architecture
 - * Semantic Analysis Module
 - * Syntactic Analysis Module
- ❖ Results & Evaluations
 - * Error Analysis and Perspectives
- ❖ Conclusions

Future looks *Meaningful*

- ❖ While syntactic analysis based systems start hitting the wall pretty soon, Adding semantic analysis module definitely provides a new dimension of growth and improvisation.
- ❖ Scope was adding new frames is immense
- ❖ Exploring semantic roles for matching
- ❖ Problem areas are very solvable

Thank You

- ❖ Questions/Answers
- ❖ Graphics by UVassociates
www.uvassociates.in

