

HITS at TAC 2015 Entity Discovery and Linking

Benjamin Heinzerling^{1,2} and Michael Strube²

¹AIPHES, ²Heidelberg Institute for Theoretical Studies

Joint Global Disambiguation and NIL Clustering

- Our previous years' system (Fahrni et al., 2013, Judea et al., 2014).
- Jointly performs global disambiguation and NIL clustering using a Markov Logic Network (MLN).
- General, not trained on TAC data.
- Performed consistently well in various evaluations.
- Gets some easy decisions wrong.
- Mention detection not joint.


Goals


- Better integrate mention detection.
- Get the easy decisions right.
- See how far the new KB gets us.
- English EDL with mention detection.

Architecture: Options

- Joint approach: Strong interaction, slow, development difficult.
- Pipeline of tasks: Weak interaction, fast, ordering difficult.
- Pipeline of decisions: Some interaction, fast, ordering feasible.

Architecture







Too simple!

Happy middle.

Too complex!

Sieves

- High-precision linking:
 - Unambiguous CrossWiki mentions
 - Entity type checking
 - Sense label mismatch filter
- Person name matching
- Salient semantic paths
- General and TAC-specific post-processing:
 - Dominant sense fallback
 - · Country adjectivals mapping
 - Media organization filter

 Previous work maximizes relatedness between candidate senses of two or more given mentions (Hoffart et al., 2011; Moro et al. 2014).

Nigeria became Africas largest economy town of Daura .

 Previous work maximizes relatedness between candidate senses of two or more given mentions (Hoffart et al., 2011; Moro et al. 2014).

Nigeria became Africas largest economy town of Daura .

Nigeria (Africa) - Pierre Daura

 Previous work maximizes relatedness between candidate senses of two or more given mentions (Hoffart et al., 2011; Moro et al. 2014).

Nigeria became Africas largest economy town of Daura .

Nigeria (Africa) - Pierre Daura Nigeria (Jazz Album) - Pierre Daura

 Previous work maximizes relatedness between candidate senses of two or more given mentions (Hoffart et al., 2011; Moro et al. 2014).

Nigeria became Africas largest economy town of Daura .

Nigeria (Africa) - Pierre Daura
Nigeria (Jazz Album) - Pierre Daura
Nigeria (Africa) / Iocation/Iocation/contains Daura (Nigeria)

 Previous work maximizes relatedness between candidate senses of two or more given mentions (Hoffart et al., 2011; Moro et al. 2014).

Nigeria became Africas largest economy town of Daura .

```
Nigeria (Africa) - Pierre Daura
Nigeria (Jazz Album) - Pierre Daura
Nigeria (Africa) / Iocation/Iocation/contains
Nigeria (Jazz Album) - Daura (Nigeria)
```

Slow on Freebase.


- Our approach: Given one linked mention, follow salient semantic paths through the knowledge base graph.
- Faster than looking for paths between candidate senses.

```
Nigeria became Africas largest economy .....town of Daura.


/people/person/children
/people/person/children
Netanyahu 's sons, Avner and Yair , were chosen ....
```

Think of it as Oscar Pistorius on steriods. I couldn't help but think of the blade runner.

Results: Linking



Results: Clustering



Nominal Coreference?

```
Hilary Clinton 's latest book ... the author ...
```

Netanyahu will be busy being a leader, unlike Obama the golfer!

- Can common noun surface forms (NOM) be reached in the Kb?
- Tested for paths up to length two.
- Only 30 percent of non-NIL NOMs reachable.

Limitations

- Fails for nominal coreference.
- Hand-picked, genre-specific semantic paths.
- Only works for non-NILs.

Conclusions

- State-of-the-art monolingual linking and clustering.
- Simple symbolic approach: large-scale resources, string match, KB queries.
- Global disambiguation has only a small effect on linking performance.
- Joint disambiguation and NIL clustering improves clustering performance.

Future Work

- Ordering and granularity of decisions.
- Top three systems' linking performance similar: All solving the same easy problems?
- Hard: Metonymy, cohyperonymal lists, nominal coreference.
- Symbolic approaches unlikely to solve these.
- Need to combine with distributional methods.

Thank You