

Ablated resource:	Wikipedia		
	Precision	Recall	F-score
Base run: UAIC20101	22.89	27.2	24.85
Ablation run: UAIC20101_abl-1	23.91	22.01	22.92
Impact:	-1.02	5.19	1.93

Ablated resource:	DIRT		
	Precision	Recall	F-score
Base run: UAIC20101	22.89	27.2	24.85
Ablation run: UAIC20101_abl-2	25.86	26.98	26.41
Impact:	-2.97	0.22	-1.56

Ablated resource:	Named Entity Rule		
	Precision	Recall	F-score
Base run: UAIC20101	22.89	27.2	24.85
Ablation run: UAIC20101_abl-3	25.86	26.98	26.41
Impact:	-2.97	0.22	-1.56

Ablated resource:	Negation Rules		
	Precision	Recall	F-score
Base run: UAIC20101	22.89	27.2	24.85
Ablation run: UAIC20101_abl-4	22.67	28.25	25.15
Impact:	0.22	-1.05	-0.3

Ablated resource:	Contradiction Rules		
	Precision	Recall	F-score
Base run: UAIC20101	22.89	27.2	24.85
Ablation run: UAIC20101_abl-5	22.87	27.3	24.89
Impact:	0.02	-0.1	-0.04

Ablated resource:	Wikipedia		
	Precision	Recall	F-score
Base run: UAIC20102	14.02	39.15	20.64
Ablation run: UAIC20102_abl-1	14.89	28.47	19.56
Impact:	-0.87	10.68	1.08

Ablated resource:	DIRT		
	Precision	Recall	F-score
Base run: UAIC20102	14.02	39.15	20.64
Ablation run: UAIC20102_abl-2	14.68	39.15	21.36
Impact:	-0.66	0	-0.72

Ablated resource:	Named Entity Rule		
	Precision	Recall	F-score
Base run: UAIC20102	14.02	39.15	20.64
Ablation run: UAIC20102_abl-3	9.59	51.85	16.19
Impact:	4.43	-12.7	4.45

Ablated resource:	Negation Rules		
	Precision	Recall	F-score
Base run: UAIC20102	14.02	39.15	20.64
Ablation run: UAIC20102_abl-4	15.29	40.42	22.19
Impact:	-1.27	-1.27	-1.55

Ablated resource:	Contradiction Rules		
	Precision	Recall	F-score
Base run: UAIC20102	14.02	39.15	20.64
Ablation run: UAIC20102_abl-5	13.4	40.11	20.08
Impact:	0.62	-0.96	0.56

Ablated resource:	Wikipedia		
	Precision	Recall	F-score
Base run: UAIC20103	31.49	17.46	22.46
Ablation run: UAIC20103_abl-1	32.6	15.66	21.16
Impact:	-1.11	1.8	1.3

Ablated resource:	DIRT		
	Precision	Recall	F-score
Base run: UAIC20103	31.49	17.46	22.46
Ablation run: UAIC20103_abl-2	35.64	17.46	23.44
Impact:	-4.15	0	-0.98

Ablated resource:	Named Entity Rule		
	Precision	Recall	F-score
Base run: UAIC20103	31.49	17.46	22.46
Ablation run: UAIC20103_abl-3	27.02	19.47	22.63
Impact:	4.47	-2.01	-0.17

Ablated resource:	Negation Rules		
	Precision	Recall	F-score
Base run: UAIC20103	31.49	17.46	22.46
Ablation run: UAIC20103_abl-4	31.84	18.84	23.67
Impact:	-0.35	-1.38	-1.21

Ablated resource:	Contradiction Rules		
	Precision	Recall	F-score
Base run: UAIC20103	31.49	17.46	22.46
Ablation run: UAIC20103_abl-5	31.43	17.46	22.45
Impact:	0.06	0	0.01